

Version 2.1

Revision Date 09/15/2017 Ref. 130000144085

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name 6200-2360-ARTISTRI® P3620 MAGENTA INK REV 1

Product Use Printing ink

Do not use product for anything outside of the above specified uses. Restrictions on use

Manufacturer/Supplier DuPont

974 Centre Road

Wilmington, DE 19805, USA

: 1-302-774-1000 Product Information

Product Information : 1-302-774-1000

Medical Emergency : 1-800-441-3637 (outside the U.S. 1-302-774-1139)

Transport Emergency : CHEMTREC: +1-800-424-9300 (outside the U.S. +1-703-527-3887)

# **SECTION 2. HAZARDS IDENTIFICATION**

**Product hazard category** 

Skin sensitisation Category 1 Specific target organ toxicity -Category 2

repeated exposure

Label content

Pictogram



Signal word : Warning



Version 2.1

Revision Date 09/15/2017 Ref. 130000144085

Hazardous warnings : May cause an allergic skin reaction.

May cause damage to organs through prolonged or repeated exposure.

(Kidney)

Hazardous prevention

measures

: Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves.

IF ON SKIN: Wash with plenty of soap and water. Get medical advice/ attention if you feel unwell.

If skin irritation or rash occurs: Get medical advice/ attention.

Wash contaminated clothing before reuse.

Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 45 - 55 %

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS-No.	Concentration
Ethane-1,2-diol	107-21-1	3 - 10 %
1,2-Benzisothiazol-3(2H)-one	2634-33-5	0.3 - 0.5 %

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.



Version 2.1

Revision Date 09/15/2017 Ref. 130000144085

#### **SECTION 4. FIRST AID MEASURES**

General advice : Never give anything by mouth to an unconscious person. When symptoms

persist or in all cases of doubt seek medical advice.

Inhalation : If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If breathing

is irregular or stopped, administer artificial respiration. Get medical attention.

: In case of contact, immediately flush skin with plenty of water for at least 15 Skin contact

> minutes while removing contaminated clothing and shoes. Get medical attention if irritation develops and persists. Wash contaminated clothing before

re-use.

Eye contact : In case of eye contact, remove contact lens and rinse immediately with plenty

of water, also under the eyelids, for at least 15 minutes. Get medical advice/

attention.

: If swallowed, call a poison control centre or doctor immediately. Rinse mouth Ingestion

with water. DO NOT induce vomiting unless directed to do so by a physician or

poison control center.

Most important

symptoms/effects, acute

and delayed

Protection of first-aiders

: No applicable data available.

Notes to physician : No specific intervention is indicated. Treat symptomatically.

: No applicable data available.

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and

the surrounding environment.

Water spray, Dry chemical, Carbon dioxide (CO2)

Unsuitable extinguishing

media

: No applicable data available.



Version 2.1

Revision Date 09/15/2017 Ref. 130000144085

Specific hazards : Hazardous decomposition products formed under fire conditions. (see also

section 10) Avoid breathing decomposition products.

Special protective equipment

for firefighters

: Exposure to decomposition products may be a hazard to health. Wear self-

contained breathing apparatus for firefighting if necessary.

Further information : Evacuate personnel to safe areas. Stop spill/release if it can be done with

minimal risk. Do not allow run-off from fire fighting to enter drains or water

courses.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Safeguards (Personnel) : Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Wear

suitable protective equipment.

Environmental precautions : Prevent further leakage or spillage if safe to do so. Prevent product from

entering drains. Clean contaminated floors and objects thoroughly while

observing environmental regulations.

Spill Cleanup : Contain spill. Soak up with inert absorbent material. Collect and contain

contaminated absorbent and dike material for disposal. Keep in suitable, closed containers for disposal. Ventilate the area. Clean contaminated floors

and objects thoroughly while observing environmental regulations.

Accidental Release Measures : Dispose of in accordance with local regulations.

#### SECTION 7. HANDLING AND STORAGE

Handling (Personnel) : Avoid inhalation, ingestion and contact with skin and eyes. Do not use in

areas without adequate ventilation. For personal protection see section

"Exposure controls/personal protection"

Handle in accordance with good industrial hygiene and safety practice. Keep container closed. Keep away from food and drink. Wash hands before eating,

drinking, or smoking. Remove contaminated clothing and protective

equipment before entering eating areas. Wash contaminated clothing before



Version 2.1

Revision Date 09/15/2017 Ref. 130000144085

re-use.

Handling (Physical Aspects) : Normal measures for preventive fire protection.

Dust explosion class : No applicable data available.

Storage : Keep containers tightly closed in a cool, well-ventilated place. Do not store or

consume food, drink or tobacco in areas where they may become contaminated with this material. Do not reuse empty container.

Stable under normal conditions.

Storage period : No applicable data available.

Storage temperature : No applicable data available.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls : Ensure adequate ventilation. Maintain air concentrations below occupational

exposure standards. General mechanical ventilation is normally adequate but use local exhaust where necessary to maintain exposures below acceptable

limits.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required. When

workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe

respirator use limitations specified by the manufacturer.

Hand protection : Material: Impervious gloves

Additional protection: Gloves must be inspected prior to use., Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough., The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other., The exact break through time can be obtained from the protective glove producer and this has to be observed., Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger

of cuts, abrasion, and the contact time.

Eye protection : Wear safety glasses or coverall chemical splash goggles.

Skin and body protection : Choose body protection in relation to its type, to the concentration and

5/12



Version 2.1

Revision Date 09/15/2017 Ref. 130000144085

amount of dangerous substances, and to the specific work-place. Lightweight protective clothing and safety shoes are recommended.

Exposure Guidelines
Exposure Limit Values

Ethane-1,2-diol

TLV (ACGIH) 25 ppm TWA Vapor fraction

TLV (ACGIH) 50 ppm STEL Vapor fraction

TLV (ACGIH) 10 mg/m3 STEL Aerosol, inhalable.

AEL \* (DuPont) 10 mg/m3 8 & 12 hr. TWA Particulate.

AEL \* (DuPont) 50 ppm 8 & 12 hr. TWA Vapor.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance

Physical state : liquid

Form : aqueous dispersion

Color : red

Odor : characteristic

Odor threshold : No applicable data available.

pH : 8.2

Melting point/range : No applicable data available.

6/12

<sup>1,2-</sup>Benzisothiazol-3(2H)-one No applicable data available.

<sup>\*</sup> AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.



Version 2.1

Revision Date 09/15/2017 Ref. 130000144085

Boiling point/boiling range : No applicable data available.

Flash point :  $> 100 \, ^{\circ}\text{C}$ 

Evaporation rate : No applicable data available.

Flammability (solid, gas) : No applicable data available.

Upper explosion limit : No applicable data available.

Lower explosion limit : No applicable data available.

Vapour Pressure : No applicable data available.

Vapour density : No applicable data available.

Density : 1.1080 g/cm3

Specific gravity (Relative

density)

: No applicable data available.

Water solubility : dispersible

Solubility(ies) : No applicable data available.

Partition coefficient: n-

octanol/water

: No applicable data available.

Auto-ignition temperature : No applicable data available.

Decomposition temperature : No applicable data available.

Viscosity, kinematic : No applicable data available.

Viscosity, dynamic : 11 mPa.s at 25 °C (77 °F)

% Volatile : 82.90 %WT

: 83.59 %VL

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.



Version 2.1

Revision Date 09/15/2017 Ref. 130000144085

Chemical stability : The product is chemically stable under recommended conditions of storage,

use and temperature.

Stable at normal temperatures and storage conditions.

Possibility of hazardous

reactions

None reasonably foreseeable.

Conditions to avoid : Avoid extreme heat. Do not freeze.

Incompatible materials : Acids, bases and strong oxidizing agents

Hazardous decomposition

products

No decomposition if stored and applied as directed.

Under fire conditions:, Carbon monoxide, carbon dioxide and unburned

hydrocarbons (smoke).

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

6200-2360-ARTISTRI® P3620 MAGENTA INK REV 1

Further information : There is no data available for this product.

Ethane-1,2-diol

Inhalation : no data available

Inhalation :

Dermal LD50 : > 3,500 mg/kg, Mouse

Oral LD50 : 1,650 mg/kg , Cat

Skin irritation : No skin irritation, Rabbit

Eye irritation : No eye irritation, Rabbit

Skin sensitization : Does not cause skin sensitisation., human

Repeated dose toxicity : Oral

Rat

Target Organs: Kidney

Kidney damage

Carcinogenicity : Not classifiable as a human carcinogen.

Animal testing did not show any carcinogenic effects.

Mutagenicity : Animal testing did not show any mutagenic effects.

Tests on bacterial or mammalian cell cultures did not show mutagenic

8/12



Version 2.1

Revision Date 09/15/2017 Ref. 130000144085

effects.

Reproductive toxicity : No toxicity to reproduction

No effects on or via lactation

Animal testing showed no reproductive toxicity.

Teratogenicity : Evidence suggests the substance is not a developmental toxin in

animals.

1,2-Benzisothiazol-3(2H)-one

Dermal LD50 : > 2,000 mg/kg , Rabbit

Oral LD50 : 670 mg/kg , Rat

Central nervous system effects

Skin irritation : Skin irritation, Rabbit

Information given is based on data obtained from similar substances.

Eye irritation : Severe eye irritation, Rabbit

Information given is based on data obtained from similar substances.

Skin sensitization : Causes sensitisation., Mouse

Positive in human patch test., human

Repeated dose toxicity : Oral

Rat

-

No toxicologically significant effects were found.

Mutagenicity : Tests on bacterial or mammalian cell cultures did not show mutagenic

effects.

Animal testing did not show any mutagenic effects.

Reproductive toxicity : No toxicity to reproduction

Animal testing showed effects on reproduction at levels equal to or

above those causing parental toxicity.

Teratogenicity : Animal testing showed effects on embryo-fetal development at levels

equal to or above those causing maternal toxicity.

Carcinogenicity



Version 2.1

Revision Date 09/15/2017 Ref. 130000144085

The carcinogenicity classifications for this product and/or its ingredients have been determined according to HazCom 2012, Appendix A.6. The classifications may differ from those listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or those found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition).

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

#### SECTION 12. ECOLOGICAL INFORMATION

Aquatic Toxicity Ethane-1,2-diol

96 h LC50 : Pimephales promelas (fathead minnow) 72,860 mg/l

96 h ErC50 : Pseudokirchneriella subcapitata (green algae) 6,500 mg/l

48 h EC50 : Daphnia magna (Water flea) > 100 mg/l OECD Test Guideline 202

1,2-Benzisothiazol-3(2H)-one

96 h LC50 : Oncorhynchus mykiss (rainbow trout) 1.6 mg/l

72 h EC50 : Algae 0.15 mg/l

48 h EC50 : Aquatic invertebrates 0.047 mg/l

**Environmental Fate** 

Ethane-1,2-diol

Biodegradability : Readily biodegradable. 90 - 100 % OECD Test Guideline 301

Bioaccumulation : Bioaccumulation is unlikely.

1,2-Benzisothiazol-3(2H)-one

Bioaccumulation : Bioaccumulation is unlikely.

Additional ecological information : There is no data available for this product.

#### SECTION 13. DISPOSAL CONSIDERATIONS

Waste disposal methods - Product

: If recycling is not practicable, dispose of in compliance with local regulations.

Never place unused product down any indoor or out door drain.



Version 2.1

Revision Date 09/15/2017 Ref. 130000144085

Waste disposal methods -

Container

: Do not reuse empty container.

Contaminated/not cleaned containers should be treated/handled like product

waste.

Dispose of container properly.

Refer to applicable Local, State/Provincial, and Federal Regulations, as well

as industry Standards.

Contaminated packaging : No applicable data available.

#### **SECTION 14. TRANSPORT INFORMATION**

Not classified as dangerous in the meaning of transport regulations.

#### **SECTION 15. REGULATORY INFORMATION**

**TSCA** : On the inventory, or in compliance with the inventory

SARA 313 Regulated

Chemical(s)

: Ethane-1,2-diol

PA Right to Know

Regulated Chemical(s)

: Substances on the Pennsylvania Hazardous Substances List present at a concentration of 1% or more (0.01% for Special Hazardous Substances):

Humectant, Ethane-1,2-diol

NJ Right to Know

Regulated Chemical(s)

: Substances on the New Jersey Workplace Hazardous Substance List present

at a concentration of 1% or more (0.1% for substances identified as carcinogens, mutagens or teratogens): Humectant, Ethane-1,2-diol

**CERCLA Reportable** 

Quantity

: 130863 lbs

Based on the percentage composition of this chemical in the product.:

Ethane-1,2-diol

California Prop. 65 : WARNING! This product contains a chemical known to the State of California

to cause birth defects or other reproductive harm.

# Safety Data Sheet



# 6200-2360-ARTISTRI® P3620 MAGENTA INK REV 1

Version 2.1

Revision Date 09/15/2017 Ref. 130000144085

#### **SECTION 16. OTHER INFORMATION**

The DuPont Oval Logo, DuPont™ and all products denoted with ® or ™ are trademarks or registered trademarks of E. I. du Pont de Nemours and Company or its affiliates unless otherwise indicated.

Revision Date : 09/15/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Significant change from previous version is denoted with a double bar.